


# **ENERGY-SAVING SHRINK TUNNEL COMPACT 650 SD**



Intelligent technology for energy-efficient shrinking

**Complete product range** for efficient packaging processes





## **Energy-Saving Shrink Tunnel**

### COMPACT 650 SD

#### The compact shrink tunnel for small to medium formats.

The double-construction Kallfass ring-nozzle heating system, in the compact 47" hood, targets the heat where it is needed. This ensures a perfect shrinking process with low energy use, which helps to save natural resources.



The figure may show optional equipment. Special paint and tunnel clearance height of 400 mm.

#### **Technical specifications**

			=
			=
small to medium formats.			
sman to medium formats.			
s ring-nozzle heating system, in the compact 47" hood,			
sing near reading system, in the compact in head,			
ad This angures a perfect obrinking process with low			=
ed. This ensures a perfect shrinking process with low			
•			
natural resources.			
110	itarar resources.		=
			=
	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		=
	Technical specifications		
		Compact 650 SD	
	Adjustable working height	32 - 35 in.	$\equiv$
	Tunnel clearance width, height	26 in., 8 in.	Ξ
	Length of the heated tunnel hood	48 in.	$\equiv$
	Power supply	208 - 480 Volt	$\equiv$
	Continuously adjustable temperature	up to 190°C/375°F	$\equiv$
	Transport speed	15 - 90 feet / minute	Ξ
	Installed heating capacity	2 x 4,5 kW	$\equiv$





The ring-nozzle heating system ensures uniform heat transfer to the package contents.

#### Your benefits highlighted

- Perfect packaging results using constantly uniform heat energy transfer to the packaged goods, regardless of the position on the conveyor belt
- Ring nozzle heating technology with integrated air circulating system for efficient energy recovery
- High level of insulation and compact design ensure fast warm-up times
- Easy adjustment of basic parameters (temperature, air volume and package speed) using continuously adjustable controller
- Intelligent technology ensures constant temperature during operation. Energy-intensive temperature fluctuations are prevented
- Carefully selected components, easy to maintain, maintenance-free plastic mesh-belt

Solution in Kallfass quality. Competence in the production of a wide range of products, from individual units to packaging systems to integration into production lines.

