



Fully-automatic side sealer **UNIVERSA 500 T**



Robust side sealer
with proven technology

Complete product range
for efficient packaging processes

Kallfass

Results count.

Universa 500 T

Perfect for fully automatic film packaging

This system offers proven technology at excellent value. Manufacturing companies with a broad product range, industrial services companies, and contract packaging companies benefit greatly from the efficient production processes and simple handling of the robust, reliable film packaging system.



The figure may show optional equipment, ordered separately

Technical Specifications

	Universa 500 T
Cross seal bar, length	21 in.
Product clearance height	up to 8 in.
Power supply	208 - 480 volt
Film, center-folded film	30 gauge - 3 mil
Transport speed	30 - 115 feet / minute
Packaging speed, max.	65 cycles / minute



Universa 500 T: Powerful and efficient. The allrounder for your packaging application.

Your benefits highlighted

- Perfect packaging results for small-format products with full-wrap packaging
- Low space requirements due to its compact design
- Easy integration of the system into existing production lines
- Infeed belt can be extended for easy and quick threading of the film
- Continuously heated sealing bar with replaceable sealing ledge, available in various profile shapes for optimum sealing seams, customized to fit the product and film
- User interface and troubleshooting using the color touch panel (available languages: German, English, French - other languages on request) including integrated product data storage for various packaged goods

Solution based on Kallfass quality. Competence in the production of a wide range of packaging machines from customer tailored systems to packaging systems for integration into production lines.



KALLFASS is certified according to ISO 9001:2008
www.kallfass-us.com



Complete Packaging Solutions & Systems, Inc.

CPS&S Inc.
770-751-7400
E-Mail: info@kallfass-us.com
Internet: www.kallfass-us.com

Kallfass 
Results count.